## IN THE CLAIMS:

1-36. (Cancelled).

- 37. (Currently amended) A <u>An isolated or non-human</u> host cell transfected with a first expression vector comprising a <u>first</u> nucleic acid encoding a <u>first</u> polypeptide of SEQ ID NO: 2 and a second expression vector comprising a <u>second</u> nucleic acid encoding a <u>second</u> polypeptide of SEQ ID NO: 12.
- 38. (Previously added) The host cell of Claim 37, wherein the host cell is:
  - a) a prokaryotic cell;
  - b) a mammalian cell;
  - c) an insect cell; or
  - d) a yeast cell.
- 39. Cancelled
- 40. (Currently amended) A method of producing a soluble polypeptide complex of SEQ ID NO:2 and SEQ ID NO:12 comprising:
- a) culturing the host cell of Claim 37 under conditions suitable for expression of the soluble polypeptide complex the first and second polypeptide;
  - b) allowing the polypeptide complex to form; and
  - c) isolating or purifying the soluble polypeptide complex.
- 41. (New) An expression vector comprising:
- a) a first nucleic acid encoding a first polypeptide of SEQ ID NO: 2 operably linked to a first promoter; and
- b) a second nucleic acid encoding a second polypeptide of SEQ ID NO: 12 operably linked to a second promoter.

- 42. (New) An isolated or non-human host cell comprising the expression vector of Claim 41.
- 43. (New) The host cell of Claim 42, wherein the host cell is:
  - a) a prokaryotic cell;
  - b) a mammalian cell;
  - c) an insect cell; or
  - d) a yeast cell.
- 44. (New) A method of producing a soluble polypeptide complex of SEQ ID NO:2 and SEQ ID NO:12 comprising:
- a) culturing the host cell of Claim 42 under conditions suitable for expression of the first polypeptide and the second polypeptide;
  - b) allowing the polypeptide complex to form; and
  - c) isolating or purifying the soluble polypeptide complex.